


LEGEND

SECTION LINE	---
SECTION NUMBER	16
IMPROVED ROAD	==
REACH NUMBER	← REACH 3 →
SHEET NUMBER	5
100 YEAR FLOOD-PRONE AREA	▨


U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

**FLOOD HAZARD AREA
INDEX MAP**
COTTONWOOD CREEK IN THE
VICINITY OF BUENA VISTA
CHAFFEE COUNTY, COLORADO



LEGEND

FLOOD PLAIN LIMITS



- GROUND ELEVATION IN FEET MEAN SEA LEVEL DATUM
- CONTOUR, Interval 2.0'
- CROSS SECTION
- CROSS SECTION CONTINUED
- PERENNIAL STREAM
- PERMANENT BENCH MARK
- HORIZONTAL CONTROL
- VERTICAL CONTROL
- PHOTO CENTER
- GRID POINT
- POWER POLE
- FENCE

BASIS OF CONTROL:
 THE COLORADO STATE COORDINATE SYSTEM, CENTRAL ZONE. ESTABLISHED FROM U. S. DEPARTMENT OF COMMERCE, COAST & GEODETIC SURVEY POINT "WINTERS" LATITUDE = 38° 47' 47.878". LONGITUDE = 106° 06' 55.247". Y = 351,415.86
 X = 1,824,620.50
CONVERSION FACTORS:
 ELEVATION AT "WINTERS = 7910." ELEVATION FACTOR = 20,906,000 / 20,913,910 = .999621783 SCALE FACTOR = .999949923 COMBINED FACTOR = .999949923 x .999621783 = .999571725.
 VERTICAL CONTROL BASED ON U.S.G.S. BM H-49, ELEV. = 8594.145 U.S.C. & G.S. BM V-339, ELEV. = 8004.341 AND U.S.C. & G.S. AND U.S.G.S. BM H-47, ELEV. 7954.666.

TOPOGRAPHY ON THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS.

COMPILATION BY PHOTOGRAMMETRIC METHODS FROM 6" C.F.L. VERTICAL AERIAL PHOTOGRAPHY FLOWN NOVEMBER 6, 1975.

PHOTOGRAMMETRY BY BELL MAPPING COMPANY, DENVER, COLORADO

FLOOD HAZARD AREAS ARE FOR EXISTING CONDITIONS- NOVEMBER 1975.

FLOOD AREA OUTLINES WERE DETERMINED BY MATCHING FLOOD PROFILE ELEVATIONS WITH TOPOGRAPHY.


REVISION	DATE	BY

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE
FLOOD HAZARD AREAS
COTTONWOOD CREEK IN THE
VICINITY OF BUENA VISTA
CHAFFEE COUNTY, COLORADO
 200 0 200 400 600
 SCALE IN FEET
SHEET 1 OF 8



LEGEND

FLOOD PLAIN LIMITS



- GROUND ELEVATION IN FEET MEAN SEA LEVEL DATUM 8160
- CONTOUR, Interval 2.0'
- CROSS SECTION A ————— A
- CROSS SECTION CONTINUED AB ————— AB
- PERENNIAL STREAM
- PERMANENT BENCH MARK
- HORIZONTAL CONTROL
- VERTICAL CONTROL
- PHOTO CENTER
- GRID POINT
- POWER POLE
- FENCE

BASIS OF CONTROL :
 THE COLORADO STATE COORDINATE SYSTEM, CENTRAL ZONE.
 ESTABLISHED FROM U. S. DEPARTMENT OF COMMERCE, COAST & GEODETIC SURVEY POINT "WINTERS" LATITUDE = 38° 47' 47.878". LONGITUDE = 106° 06' 55.247". Y= 351,415.86
 X = 1,824,620.50

CONVERSION FACTORS:
 ELEVATION AT "WINTERS" = 7910." ELEVATION FACTOR = 20,906,000 / 20,913,910 = .999621783 SCALE FACTOR = .999949923 COMBINED FACTOR = .999949923 x .999621783 = .999571725.

VERTICAL CONTROL BASED ON U.S.G.S. BM H-49, ELEV. = 8594.145 U.S.C. & G.S. BM V-339, ELEV. = 8004.341 AND U.S.C. & G.S. AND U.S.G.S. BM H-47, ELEV. 7954.666.

TOPOGRAPHY ON THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS.


COMPILATION BY PHOTOGRAMMETRIC METHODS FROM 6" C.F.L. VERTICAL AERIAL PHOTOGRAPHY FLOWN NOVEMBER 6, 1975.

PHOTOGRAMMETRY BY
 BELL MAPPING COMPANY, DENVER, COLORADO


FLOOD HAZARD AREAS ARE FOR EXISTING CONDITIONS- NOVEMBER 1975.

FLOOD AREA OUTLINES WERE DETERMINED BY MATCHING FLOOD PROFILE ELEVATIONS WITH TOPOGRAPHY.

REVISION	DATE	BY



LEGEND



- GROUND ELEVATION IN FEET MEAN SEA LEVEL DATUM
- CONTOUR, Interval 2.0'
- CROSS SECTION
- CROSS SECTION CONTINUED
- PERENNIAL STREAM
- PERMANENT BENCH MARK
- HORIZONTAL CONTROL
- VERTICAL CONTROL
- PHOTO CENTER
- GRID POINT
- POWER POLE
- FENCE

BASIS OF CONTROL:
 THE COLORADO STATE COORDINATE SYSTEM, CENTRAL ZONE. ESTABLISHED FROM U. S. DEPARTMENT OF COMMERCE, COAST & GEODETIC SURVEY POINT "WINTERS" LATITUDE = 38° 47' 47.878". LONGITUDE = 106° 06' 55.247". Y = 351,415.86 X = 1,824,620.50

CONVERSION FACTORS:
 ELEVATION AT "WINTERS" = 7910. ELEVATION FACTOR = 20,906,000 / 20,913,910 = .999621783 SCALE FACTOR = .999949923 COMBINED FACTOR = .999949923 x .999621783 = .999571725

VERTICAL CONTROL BASED ON U.S.G.S. BM H-49, ELEV. = 8594.145 U.S.C. & G.S. BM V-339, ELEV. = 8004.341 AND U.S.C. & G.S. AND U.S.G.S. BM H-47, ELEV. 7954.666.

TOPOGRAPHY ON THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS.

COMPILATION BY PHOTOGRAMMETRIC METHODS FROM 6" C.F.L. VERTICAL AERIAL PHOTOGRAPHY FLOWN NOVEMBER 6, 1975.

PHOTOGRAMMETRY BY BELL MAPPING COMPANY, DENVER, COLORADO

FLOOD HAZARD AREAS ARE FOR EXISTING CONDITIONS-NOVEMBER 1975.

FLOOD AREA OUTLINES WERE DETERMINED BY MATCHING FLOOD PROFILE ELEVATIONS WITH TOPOGRAPHY.

REVISION	DATE	BY



U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE
FLOOD HAZARD AREAS
COTTONWOOD CREEK IN THE
VICINITY OF BUENA VISTA
CHAFFEE COUNTY, COLORADO
 200 0 200 400 600
 SCALE IN FEET
SHEET 3 OF 8

REACHES - 4 & 5



LEGEND

FLOOD PLAIN LIMITS



BASIS OF CONTROL:
 THE COLORADO STATE COORDINATE SYSTEM, CENTRAL ZONE.
 ESTABLISHED FROM U. S. DEPARTMENT OF COMMERCE, COAST
 & GEODETIC SURVEY POINT "WINTERS" LATITUDE = 38°47'
 47.878". LONGITUDE = 106° 06' 55.247". Y = 351,415.86
 X = 1,824,620.50
 CONVERSION FACTORS:
 ELEVATION AT "WINTERS" = 7910." ELEVATION FACTOR =
 20,906,000 / 20,913,910 = .999621783 SCALE FACTOR =
 .999949923 COMBINED FACTOR = .999949923 x .999621783 =
 .999571725.
 VERTICAL CONTROL BASED ON U.S.G.S. BM H-49, ELEV. =
 8594.145 U.S.C. & G.S. BM V-339, ELEV. = 8004.341 AND
 U.S.C. & G.S. AND U.S.G.S. BM H-47, ELEV. 7954.666.

TOPOGRAPHY ON THIS MAP COMPLIES WITH NATIONAL MAP
 ACCURACY STANDARDS.

COMPILATION BY PHOTOGRAMMETRIC METHODS FROM 6"
 C.F.L. VERTICAL AERIAL PHOTOGRAPHY FLOWN
 NOVEMBER 6, 1975.

PHOTOGRAMMETRY BY
 BELL MAPPING COMPANY, DENVER, COLORADO

FLOOD HAZARD AREAS ARE FOR EXISTING CONDITIONS -
 NOVEMBER 1975.

FLOOD AREA OUTLINES WERE DETERMINED BY MATCHING
 FLOOD PROFILE ELEVATIONS WITH TOPOGRAPHY.

REVISION	DATE	BY


U. S. DEPARTMENT OF AGRICULTURE
 SOIL CONSERVATION SERVICE


FLOOD HAZARD AREAS
 COTTONWOOD CREEK IN THE
 VICINITY OF BUENA VISTA
 CHAFFEE COUNTY, COLORADO

200 0 200 400 600
 SCALE IN FEET

SHEET 4 OF 8


REACHES - 1, 2 & 5





LEGEND

FLOOD PLAIN LIMITS



- GROUND ELEVATION IN FEET MEAN SEA LEVEL DATUM
- CONTOUR, Interval 2.0'
- CROSS SECTION
- CROSS SECTION CONTINUED
- PERENNIAL STREAM
- PERMANENT BENCH MARK
- HORIZONTAL CONTROL
- VERTICAL CONTROL
- PHOTO CENTER
- GRID POINT
- POWER POLE
- FENCE

BASIS OF CONTROL:
 THE COLORADO STATE COORDINATE SYSTEM, CENTRAL ZONE. ESTABLISHED FROM U. S. DEPARTMENT OF COMMERCE, COAST & GEODETIC SURVEY POINT "WINTERS" LATITUDE = 38° 47' 47.878". LONGITUDE = 106° 06' 55.247". Y = 351,415.86
 X = 1,824,620.50
CONVERSION FACTORS:
 ELEVATION AT "WINTERS" = 7910.0 ELEVATION FACTOR = 20,906,000 / 20,913,910 = .999621783 SCALE FACTOR = .999949923 COMBINED FACTOR = .999949923 x .999621783 = .999571725.
VERTICAL CONTROL BASED ON U.S.G.S. BM H-49, ELEV. = 8594.145 U.S.C. & G.S. BM V-339, ELEV. = 8004.341 AND U.S.C. & G.S. AND U.S.G.S. BM H-47, ELEV. 7954.666.

TOPOGRAPHY ON THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS.

COMPILATION BY PHOTOGRAMMETRIC METHODS FROM 6" C.F.L. VERTICAL AERIAL PHOTOGRAPHY FLOWN NOVEMBER 6, 1975.

PHOTOGRAMMETRY BY BELL MAPPING COMPANY, DENVER, COLORADO


FLOOD HAZARD AREAS ARE FOR EXISTING CONDITIONS- NOVEMBER 1975.

FLOOD AREA OUTLINES WERE DETERMINED BY MATCHING FLOOD PROFILE ELEVATIONS WITH TOPOGRAPHY.


REVISION	DATE	BY

**U. S. DEPARTMENT OF AGRICULTURE
 SOIL CONSERVATION SERVICE**

**FLOOD HAZARD AREAS
 COTTONWOOD CREEK IN THE
 VICINITY OF BUENA VISTA
 CHAFFEE COUNTY, COLORADO**




REACHES 3 & 4



LEGEND

FLOOD PLAIN LIMITS



- GROUND ELEVATION IN FEET MEAN SEA LEVEL DATUM
- CONTOUR, Interval 2.0'
- CROSS SECTION A—A
- CROSS SECTION CONTINUED AB—AB
- PERENNIAL STREAM
- PERMANENT BENCH MARK
- HORIZONTAL CONTROL
- VERTICAL CONTROL
- PHOTO CENTER
- GRID POINT
- POWER POLE
- FENCE

BASIS OF CONTROL:
 THE COLORADO STATE COORDINATE SYSTEM, CENTRAL ZONE. ESTABLISHED FROM U. S. DEPARTMENT OF COMMERCE, COAST & GEODETIC SURVEY POINT "WINTERS" LATITUDE = 38° 47' 47.878". LONGITUDE = 106° 06' 55.247". Y = 351,415.86 X = 1,824,620.50

CONVERSION FACTORS:
 ELEVATION AT "WINTERS" = 7910." ELEVATION FACTOR = 20,906,000 / 20,913,910 = .999621783 SCALE FACTOR = .99949923 COMBINED FACTOR = .999949923 x .999621783 = .999571725.

VERTICAL CONTROL BASED ON U.S.G.S. BM H-49, ELEV. = 8594.145 U.S.C. & G.S. BM V-339, ELEV. = 8004.341 AND U.S.C. & G.S. AND U.S.G.S. BM H-47, ELEV. 7954.666.

TOPOGRAPHY ON THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS.

COMPILATION BY PHOTOGRAMMETRIC METHODS FROM 6" C.F.L. VERTICAL AERIAL PHOTOGRAPHY FLOWN NOVEMBER 6, 1975.

PHOTOGRAMMETRY BY BELL MAPPING COMPANY, DENVER, COLORADO

FLOOD HAZARD AREAS ARE FOR EXISTING CONDITIONS- NOVEMBER 1975.


FLOOD AREA OUTLINES WERE DETERMINED BY MATCHING FLOOD PROFILE ELEVATIONS WITH TOPOGRAPHY.

REVISION	DATE	BY

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE
FLOOD HAZARD AREAS
COTTONWOOD CREEK IN THE
VICINITY OF BUENA VISTA
CHAFFEE COUNTY, COLORADO


200 0 200 400 600
 SCALE IN FEET

SHEET 6 OF 8



LEGEND

FLOOD PLAIN LIMITS



- GROUND ELEVATION IN FEET MEAN SEA LEVEL DATUM
- CONTOUR, Interval 2.0'
- CROSS SECTION A — A
- CROSS SECTION CONTINUED AB — AB
- PERENNIAL STREAM
- PERMANENT BENCH MARK
- HORIZONTAL CONTROL
- VERTICAL CONTROL
- PHOTO CENTER
- GRID POINT
- POWER POLE
- FENCE

BASIS OF CONTROL:
 THE COLORADO STATE COORDINATE SYSTEM, CENTRAL ZONE. ESTABLISHED FROM U. S. DEPARTMENT OF COMMERCE, COAST & GEODETIC SURVEY POINT "WINTERS" LATITUDE = 38° 47' 47.878". LONGITUDE = 106° 06' 55.247". Y = 351,415.86
 X = 1,824,620.50

CONVERSION FACTORS:
 ELEVATION AT "WINTERS" = 7910." ELEVATION FACTOR = 20,906,000 / 20,913,910 = .999621783 SCALE FACTOR = .999949923 COMBINED FACTOR = .999949923 x .999621783 = .999571725

VERTICAL CONTROL BASED ON U.S.G.S. BM H-49, ELEV. = 8594.145 U.S.C. & G.S. BM V-339, ELEV. = 8004.341 AND U.S.C. & G.S. AND U.S.G.S. BM H-47, ELEV. 7954.666.

TOPOGRAPHY ON THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS.

COMPILATION BY PHOTOGRAMMETRIC METHODS FROM 6" C.F.L. VERTICAL AERIAL PHOTOGRAPHY FLOWN NOVEMBER 6, 1975.

PHOTOGRAMMETRY BY BELL MAPPING COMPANY, DENVER, COLORADO

FLOOD HAZARD AREAS ARE FOR EXISTING CONDITIONS- NOVEMBER 1975.


FLOOD AREA OUTLINES WERE DETERMINED BY MATCHING FLOOD PROFILE ELEVATIONS WITH TOPOGRAPHY.

REVISION	DATE	BY

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE
FLOOD HAZARD AREAS
COTTONWOOD CREEK IN THE
VICINITY OF BUENA VISTA
CHAFFEE COUNTY, COLORADO


200 0 200 400 600
 SCALE IN FEET

SHEET 7 OF 8



LEGEND

FLOOD PLAIN LIMITS



- GROUND ELEVATION IN FEET MEAN SEA LEVEL DATUM 8160
- CONTOUR, Interval 2.0' ~ ~ ~
- CROSS SECTION A ——— A
- CROSS SECTION CONTINUED AB ——— AB
- PERENNIAL STREAM ~ ~ ~
- PERMANENT BENCH MARK ⊙
- HORIZONTAL CONTROL △
- VERTICAL CONTROL ○
- PHOTO CENTER ⊕
- GRID POINT ×
- POWER POLE ⋄
- FENCE — x —

BASIS OF CONTROL:
 THE COLORADO STATE COORDINATE SYSTEM, CENTRAL ZONE.
 ESTABLISHED FROM U. S. DEPARTMENT OF COMMERCE, COAST & GEODETIC SURVEY POINT "WINTERS" LATITUDE = 38° 47' 47.878" LONGITUDE = 106° 06' 55.247" Y = 351,415.86
 X = 1,824,620.50

CONVERSION FACTORS:
 ELEVATION AT "WINTERS" = 7910." ELEVATION FACTOR = 20,906,000 / 20,913,910 = .999621783 SCALE FACTOR = .999949923 COMBINED FACTOR = .999949923 x .999621783 = .999571725

VERTICAL CONTROL BASED ON U.S.G.S. BM H-49, ELEV. = 8594.145 U.S.C. & G.S. BM V-339, ELEV. = 8004.341 AND U.S.C. & G.S. AND U.S.G.S. BM H-47, ELEV. 7954.666.

TOPOGRAPHY ON THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS.

COMPILATION BY PHOTOGRAMMETRIC METHODS FROM 6" C.F.L. VERTICAL AERIAL PHOTOGRAPHY FLOWN NOVEMBER 6, 1975.

PHOTOGRAMMETRY BY
 BELL MAPPING COMPANY, DENVER, COLORADO

FLOOD HAZARD AREAS ARE FOR EXISTING CONDITIONS- NOVEMBER 1975.

FLOOD AREA OUTLINES WERE DETERMINED BY MATCHING FLOOD PROFILE ELEVATIONS WITH TOPOGRAPHY.

REVISION	DATE	BY

**U. S. DEPARTMENT OF AGRICULTURE
 SOIL CONSERVATION SERVICE**

**FLOOD HAZARD AREAS
 COTTONWOOD CREEK IN THE
 VICINITY OF BUENA VISTA
 CHAFFEE COUNTY, COLORADO**

200 0 200 400 600
 SCALE IN FEET

SHEET 8 OF 8